IN THE SPECIFICATION

Kindly amend page 1, line 1 by inserting the following:

--This application is a division of Serial No. 09/872,842, filed June 1, 2001, which claims priority from Japanese Application Serial No. 2000-167377, filed June 5, 2000 and Japanese Application Serial No. 2000-330066, filed October 30, 2000.--

Kindly revise Tables 5-9 as follows:

Table 5

(mass %)

	25	26	27	28	29	30	31
SiO₂	64.950	55.850	55.350	42.000	35.550	30.000	68.990
B_2O_3	14.900	13.050	6.050	13.600	16.000	20.000	11.100
Al_2O_3	2.300	0.500	0.600	4.200	4.500	5.500	
Li₂O			3.000	2.000	2.000	2.000	
Na₂O	9.250		1.200	0.300	0.300		9.550
K₂O	6.850	11.450	8.700				7.750
ВаО			16.850	37.050	40.750	40.000	1.550
ZnO			5.750				1.000
PbO	1.095		2.000		0.500		
TiO ₂	0.005	0.050		0.100			0.010
As_2O_3	0.150		0.250	0.400	0.400	0.300	
Sb_2O_3		0.010	0.250			!	0.050
K₂SiF ₆		19.090					
KHF ₂	0.500			0.350		0.200	
CaO						2.000	
Total	100.000	100.000	100.000	100.000	100.000	100.000	100.000
F	0.243	9.879		0.170	_	0.097	
Nd .	1.5163	1.4875	1.5567	1.5891	1.6031	1.6056	1.5163
Nυd	64.1	70.2	58.7	61.2	60.6	61.1	64.1
Δ n(ppm)	0.7	0.0	0.5	0.5	0.7	0.3	0.0

Table 6

(mass 5)

	32	33	34	35	36	37	38
SiO ₂	67.20	67.80	40.00	34.55	49.00	55.80	35.50
B_2O_3	3.60	4.10	12.30	18.00	17.90	13.05	16.00
Al_2O_3	· · · · · · · · · · · · · · · · · · ·		4.50	5.50	0.30	0.50	4.50
Li ₂ O			2.00				2.00
Na₂O	12.50	12.10	0.30	0.30			0.50
K₂O	6.13	6.15			12.00	11.40	0.20
BaO	10.22	9.45	38.00	38.75			40.80
PbO				0.50			
TiO ₂		0.20	0.50			0.04	0.10
As ₂ O ₃	0.35		0.40	0.40	0.20	0.01	0.40
Sb ₂ O ₃		0.20					
K₂SiF ₆	,					19.20	
KHF ₂					20.60		
SrO			2.00				
ZrO ₂				2.00			
Total	100.00	100.00	100.00	100.00	100.00	100.00	100.00
F					10.02	9.94	
Nq	1.5184	1.5184	1.5962	1.5989	1.4850	1.4860	1.6025
Nyd	60.3	60.3	60.5	60.3	70.1	69.7	60.5
$\Delta n(ppm)$	0.4	0.2	0.4	0.3	0.1	0.1	0.5

Table 7

(mass %)

	39	40	41	42	43	44	45	46
P ₂ O ₅	27.45	22.45	21.05	5.55	10.85	9.35	19.40	4.85
Al ₂ O ₃	6.55	5.35	5.05	1.35	2.60	2.20	3.95	1.15
AIF ₃	7.25	11.55	12.45	24.30	24.05	28.30		27.20
MgF ₂	4.45	6.05	5.10	5.20	4.25	5.30		4.05
CaF₂	11.20	15.80	16.05	25.55	20.95	16.65		20.20
SrF ₂	18.00	20.35	25.85	26.10	24.00	26.75	22.00	21.55
BaF₂	25.10	18.45	14.45	11.80	13.20	10.65	44.50	15.00
YF ₃								5.00
NaF					0.10			
KF				0.15				1.00
Y_2O_3							3.00	
La₂O₃							5.00	
SnO₂							0.05	
Sr0						0.80	2.10	
Total	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
F	23.97	29.37	30.32	42.60	39.28	40.94	16.30	42.94
Nd	1.5296	1.5043	1.5006	1.4353	1.4505	1.4541	1.5632	1.4388
Nyd	76.2	79.4	81.1	85.5	81.6	90.5	69.8	95.1
Δ n(ppm)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0

Table 8 (mass %)

	47	48	49	50	51	52	53	54
P₂O₅	25.00	38.20	22.60	20.00	32.15	21.50	11.70	20.15
Al_2O_3	6.00	8.60	5.40		1.80	3.30	2.80	2.55
AIF ₃				10.00	7.50		26.50	13.75
MgF_{i}			0.50		2.35	8.00	4.00	4.90
CaF ₂		9.00		10.00	7.00	15.00	14.00	15.40
SrF ₂	15.00		14.00	20.00	9.20	13.00	23.00	15.85
BaF₂	28.00	22.00	47.00	20.00	25.00	22.00	12.00	15.80
YF ₃		3.00						
LaF₃	5.00		2.00					
GdF₃						10.00		2.60
LiF			2.50					
Y_2O_3	10.00	5.50	6.00					
La_2O_3	10.00	6.20						
Gd_2O_3		5.00		20.00		5.00		
SnO₂	1.00							
MgO					5.00	2.20		
CaO							6.00	
SrO								9.00
BaO		2.40			10.00			
As_2O_3		0.10						
Total	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
F	12.06	16.83	17.14	22.04	22.21	23.54	36.80	28.73
Nd	1.5826	1.5913	1.5583	1.5783	1.5532	1.5022	1.4565	1.4973
Nνd	70.3	72.6	70.6	72.0	71.2	79.2	90.1	80.9
Δ n(ppm)	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.2

Table 9

(mass %)

	55	56	57	58	59
P ₂ O ₅	4.00	25.00	25.00	11.70	24.00
Al_2O_3	1.00	7.00	6.00	2.80	6.00
AIF ₃	27.00			25.50	
MgF₂	5.00			4.50	2.00
CaF₂	21.00		5.00	13.50	2.00
SrF₂	21.00	15.00	15.00	22.50	13.00
BaF₂	16.00	19.00	23.00	12.50	27.00
YF ₃	5.00	10.00			
LaF ₃		5.00	10.00		5.00
NaF				1.00	
Y_2O_3			10.00		5.00
La_2O_3		10.00			5.00
Gd_2O_3			5.00		
Yb₂O₃					10.00
CaO				6.00	
SrO			1.00		
BaO		9.00			1.00
Total	100.00	100.00	100.00	100.00	100.00
F	37.52	29.12	14.87	36.59	13.13
Nd	1.4378	1.5816	1.5822	1.4562	1.5820
Nυd	97.1	70.2	69.9	90.0	70.1
Δ n(ppm)	0.1	0.1	0.2	0.1	0.1